# Navajo Abandoned Uranium Mine

# Site Screen Report

This form is for use at the site of abandoned uranium mines (AUM) located on Navajo Nation lands. Applicable sites include all mine and mine features that have or have not undergone reclamation by the Navajo Abandoned Mine Lands Reclamation Program, including features, adits, pits and waste piles. Applicable sites also include all AUM sites listed in the USEPA CERCLIS database, all sites listed in the 2008 AUM GIS Report issued by USACOE and USEPA, all AUM sites on allotment lands associated with the Navajo Nation, and any and all AUM sites not listed in any database located on Navajo lands. Reconnaissance of any sites located on lands adjacent to Navajo lands that may be impacting Navajo lands will need to be coordinated with the authorities appropriate to those lands.

The purpose of the form is to ascertain the status and location of the identified AUM site, and record all immediate site information associated with the mine site. Decisions and recommendations on what additional steps are needed will be provided on a separate document.

## East Portal, Frank No. 1 Mine AUM Site

Navajo AUM Northern Region

Prepared by:

Weston Solutions, Inc.

Contract: W91238-06-F-0083

12767.063.496.1111

March 2010

Part I	Site Identification, Location and Status						
Site Names and ID numbers as applicable							
Mine ID:	509						
Map ID:	N209						
CERCLIS:	NNN000908906						
Navajo Abandoned Mine Land Reclamation Program: NA-0317							
Local name / Aliases: 709 Mine							
Chapter and local area: Cove Chapter							
County: Apa	ache State: Arizona						
<b>Lat/Long:</b> 36.5331690026 N / -109.251893664 W							
Nearby road and highway: Indian Route 33 Local Post Office: Cove, AZ							
Surface Land Status: check one or more and provide ownership and contact information below							
Tribal Trust Private Bureau of La State	Tribal Fee Land						
Subsurface Mineral Rights:							
No informatio	on on subsurface mineral rights ownership was found in the EPA/AUM Database.						
Claim and op	perator information:						
The mine site surface land status is classified as Tribal Trust Land. Historical documents showed the operator of the mine as Frank Nacheenbetah from 1951 to 1957, Climax Uranium in 1952, and from 1957 to 1967. No other historical ownership / lease information was identified in the EPA/AUM database.							
Number of re	esidential structures within 200 feet of mine:						
Estimated volume of mine waste onsite:							
4,630 yd <sup>3</sup>							

## Part II Summary of radiological readings

## **Highest gamma radiation measurement:**

354,027 counts per minute (cpm)

#### Describe any other radiological measurements:

A total of 1,899 gamma radiation measurements were collected from the mine site, ranging from 14,595 cpm to 354,027 cpm. Measurements in the vicinity of the waste debris were found at levels ranging from 40,000 - 60,000 cpm, elevated readings in northern cliff face of 400,000 cpm. The measurements are represented in Figures 1 and 2.


#### **Background Locations**

**Average background =** 9,717 cpm

#1 9,255 cpm #2 10,179 cpm

#### **Distribution Chart and Statistics:**

The following chart and statistics were generated by ESRI ArcGIS 9.3.1, and show the general distribution of the site gamma radiation measurements. The horizontal X axis represents the gamma radiation reading levels in cpm (lowest levels to the left). The vertical Y axis represents the frequency of each gamma radiation level.



 Count:
 1899

 Minimum:
 14595.0000

 Maximum:
 354027.00000

 Sum:
 70322039.00000

 Mean:
 37031.08952

 Median:
 31160.00000

 Standard Deviation:
 29595.91186

#### Part III Status of Reclamation and Mine Waste

The following information was obtained from the Navajo Abandoned Mine Land Reclamation Program (NAMLRP) Point Features Database:

NAMLRP Status of the mine site: Reclaimed: Yes Waste Pile onsite: Yes

**NAMLRP Project Number:** NA-0317

**NAMLRP Mine features:** 3 Portals, 1 Rim Strip / Pit

The following information was obtained from field observations collected during the 2009 site screening:

Provide description and status of all mine sites and features at site. Include all waste piles, adits, pits and other features, and indicate whether they are open, closed, covered, capped, buried or unreclaimed. Indicate approximate size, shape and extent, including description of any reclamation caps. Note condition of all caps.

0	hserved	reclan	nation	work	and	ctatue
•	msei veu	Tectan	IALIOII	WUIK	anu	SIALUS.

#### **Adits**

None

#### **Waste Piles**

Scattered waste debris along roads throughout site; waste pile along cliff, 500' x 50'; with a total estimated volume of 4,630 yd<sup>3</sup>

#### **Pits**

None

#### **Shafts**

None

## **Other Debris and Mine Features**

Possible mine workings along cliff face and roads

#### **Part IV**

#### **Site observations and Environs**

Observed Structures: list number of and describe human habitation status of structures at the following distances from mine:

**0 to 200 feet:** None

200 feet to 0.25 mile: None

Observed Public or commercial structure: list and describe all schools, clinics, Chapter Houses, places of business and any other structure used by members of the community at the following distances:

0 to 200 feet: None

200 feet to 0.25 mile: None

Levels measured around the perimeter(s) of the identified structure(s):

None

Observed water sources: list the number and type of wells and surface water sources that are potentially used for human consumption at the following distances from the mine:

0 to 0.25 miles: None

**0.25 miles to 4 miles:** None

Sensitive environments: note and describe all sensitive environments located within visible range of the mine site, including: wetlands, endangered species, habitats and approximate locations of sites that may be under protection of the government of the Navajo Nation.

None observed

Known Site History: include information from interviews with Chapter officials and residents. Note information on mine ownership, type of mining operation, period of operation, known amount of production, and any other information as provided.

East Portal, Frank No.1 Mine consists of an area of 41,404.17 m<sup>2</sup>. The mine was identified as being operational from 1951 to 1967. Historical documents showed the operator of the mine as Frank Nacheenbetah from 1951 to 1957, Climax Uranium in 1952, and from 1957 to 1967. While operational, the mine had a total reported production volume of 75,739 tons. No other historical information or any additional ownership / lease information was identified in the EPA/AUM database.

## Part V Response Action Summary

**Site Name(s):** East Portal, Frank No.1 Mine **Chapter:** Cove

## **Decision Criteria**

Is there an unreclaimed waste pile at the site? Yes

At what distance from the waste pile is the nearest residential structure located? None

At what distances from the waste pile are there potential drinking water sources? None

Is there a reclamation cap or sealed adit in place at the site? No

Is the cap/seal functionally intact? None

Is the cap/seal sufficiently degraded to create a concern about releases? No

At what distance from the cap/seal is the nearest domestic structure located? None

At what distance from the cap/seal is the nearest domestic drinking water source? None

## **Summary of emergency response factors**

None

## **Summary hazard ranking system factors**

None

## **Summary of reclamation factors**

Unreclaimed waste pile

## Part VI Photos



Photo 1. Down slope edge



Photo 2. Waste rock




Photo 3. Waste rock

## Part VII Contacts Reports and Information

Name:	<u>Stanley Edison (928) 871-6861</u>						
	Eugene Esplain (928) 871-7331						
Title or official role (if any) Navajo EPA Superfund Program							
Address_	AddressPO Box 2946, Window Rock, AZ 86515						
Information provided <u>Lead Regulatory Agency</u>							
Name							
Title or of	ficial role (if any)						
Address_							
Telephone	e number						
Information	on provided						
Name							
Title or of	Title or official role (if any)						
Telephone number							
Information provided							
Name							
Title or official role (if any)							
Telephone number							
Information provided							

Figure 1 - Gamma Radiation Measurements, Above Two Times Background
East Portal, Frank No. 1 Mine (509)
Cove Chapter, Navajo Nation, Arizona



## **Gamma Radiation Measurements**

- < 2X Backgound</p>
- > 2X Background

Gamma survey conducted 10/2009 Measured as counts per minute (cpm)

Average background = 9,717 cpm







Figure 2 - Gamma Radiation Measurements East Portal, Frank No. 1 Mine (509) Cove Chapter, Navajo Nation, Arizona



## Legend

## **Gamma Radiation Measurements**

- 0 10,000
- 10,000 15,000
- 15,000 20,000
- 20,000 50,000
- 50,000 100,000
- > 100,000



**Observed Waste Pile** 

Inaccessible due to steep grades

→ General Direction Down-Slope

Mine Claim Boundaries

Gamma survey conducted 10/2009

Gamma survey conducted 10/2009 Measured as counts per minute (cpm)

Average background = 9,717 cpm

